# Fatal coronary artery thrombosis associated with cannabis smoking

D. C. MACINNES, B.SC, MB, MRCGP General Practitioner, Motherwell, Lanarkshire

K. M. MILLER, MD, FRC.PATH
Consultant Pathologist, Lanarkshire Health Board

An unusual case of coronary thrombosis associated with illicit drug use is described. It is suggested that general practitioners and casualty officers should consider the possibility of atypical presentations resulting from drug abuse not made known to the examining doctor.

# Case report

A 32-year-old man complained of sudden onset chest pain but was unable to describe his pain in any detail or give any other information. He was distressed, unable to remain in one position for any length of time, and was rolling around his bed and onto the floor. Physical examination was not possible at first owing to lack of co-operation. The patient was sedated with 4 to 5 mg of intravenous diazepam with the remainder of the ampoule given intramuscularly. He became less distressed and was able to co-operate, complaining of central chest pain with tingling in the fingers of both hands. On examination the patient was not clammy, he was hyperventilating, his pulse rate was 100 beats per minute and his blood pressure was normal; there were no signs of cardiac failure. Arrangements were made for the patient to be transferred to a casualty department, but unfortunately he died before the arrival of the ambulance.

Post-mortem investigations gave the following results. The heart weighed 430g; its configuration was normal and the chambers were in proportion. The myocardium was generally flabby in consistency, with early congestion of the anterior two-thirds of the intraventricular septum. There were numerous raised plaques of atheroma throughout both right and left coronary arteries; these were particularly prominent at the start of the circumflex branch of the left coronary

artery where there was coarse focal stenosis of the lumen. One centimetre from the start of the descending branch of the left coronary artery one of the plaques showed ulceration of the intimal lining and adherent to it was a dark red thrombus 0.75 cm in length.

It was subsequently learned that the patient had been smoking cannabis earlier that evening.

## Comment

This case demonstrates two possible adverse effects of cannabis on a person susceptible to ischaemic heart disease.

First, cannabis has a striking effect on heart rate, inducing a tachycardia up to 160 beats per minute or higher, which is achieved within a few minutes of drug absorption. Thereafter a slow decline in heart rate occurs which may take four hours or longer. Aronow has shown in a study of exercise-induced angina that smoking cannabis causes a decreased exercise time of 48 per cent, until angina is experienced, compared with a placebo reduction of 8.6 per cent. This was ascribed to increased oxygen demand coupled with decreased oxygen perfusion leading to earlier experience of chest pain. Charles described one previous case of myocardial infarction occurring some 30 minutes after smoking cannabis:2 a 25-year-old patient presented with cardiac failure and the infarction was confirmed by electrocardiagraphy (ECG) and enzyme analysis.

Second, the psychological effects of cannabis appear to run in a continuum from mild dysphoria to acute psychotic reactions. Tart has shown that up to 36 per cent of regular cannabis users experienced symptoms during intoxication of distorted body image, acute pains or hallucinations.<sup>3</sup> Halikas has reported that 16 per cent of regular cannabis users experienced anxiety, fearfulness, confusion or aggressive urges as a 'usual occurrence'.<sup>4</sup> Controlled laboratory investigations have

<sup>©</sup> Journal of the Royal College of General Practitioners, 1984, 34, 575-576.

shown that acute psychological reactions tend to last up to four hours.

The smoking of cannabis causes changes in the cardiovascular system characteristic of stress. If cannabis were to increase the heart rate in a predisposed individual, it seems reasonable to suppose that angina could be precipitated, resulting perhaps in ischaemic damage. Furthermore, should psychoactive effects of the drug cause the patient to react in an atypical manner, he might not take suitable measures to relieve the angina, thus increasing the risk of damaging the myocardium or of precipitating an arrythmia. The problem of cardiovascular disease associated with cannabis smoking will surely become more common as younger cannabis smokers begin to enter the risk years of ischaemic heart disease.

## References

- Aronow WS, Cassidy J. Effect of marijuana and placebomarijuana smoking on angina pectoris. N Engl J Med 1974; 291: 65-67.
- Charles R, Holt S, Kirkham N. Myocardial infarction and marijuana, Clin Toxicol 1979; 14: 433-438.
- Tart CT. Marijuana intoxication: common experiences. Nature 1970; 226: 701-704.
- Halikas JA, Goodwin DW, Guze SB. Marijuana effects. A survey of regular users. JAMA 1971; 217: 692-694.

#### Address for correspondence

Dr D. MacInnes, 521 High Street, Newarthill, Motherwell.

# The SK&F Fellowship for Research in Gastroenterology in General Practice

Applications are invited for this part-time SK&F Fellowship in gastroenterology in general practice. It has been created to promote research into the prevalence, aetiology, diagnosis and management of diseases of the gastrointestinal tract.

The Fellowship, donated by Smith Kline & French Laboratories Limited, Welwyn Garden City, Hertfordshire is open to all General Practitioners in the UK and is expected to occupy three sessions per week. It will be awarded by the Royal College of General Practitioners for a period of one year in the first instance and may be extended for a further two years subject to satisfactory review.

Further details and application forms are available from:

The General Administrator
The Royal College of General Practitioners
14 Princes Gate
Hyde Park
London SW7 1PU

The successful applicant would be expected to take up the Fellowship in early 1985.

Closing date for submission of applications is 30th November 1984.

SK&F

# COLLEGE PUBLICATIONS

The following publications can be obtained from the Publications Sales Office, Royal College of General Practitioners, 8 Queen Street, Edinburgh EH2 1JE. All prices include postage and payment should be made with order.

## REPORTS FROM GENERAL PRACTICE

	Health and Prevention in Primary Care	£3.00
19.	Prevention of Arterial Disease in General Practice	£3.00
20.	Prevention of Psychiatric Disorders in General Practice	£3.00
21.	Family Planning—An Exercise in Preven-	
22.	tive Medicine Healthier Children—Thinking Prevention .	£2.25 £5.50

## OCCASIONAL PAPERS

OCCASIONAL PAPERS		
4.	A System of Training for General Practice	
	(2nd edn)	£3.00
6.	Some Aims for Training for General Prac-	
_	tice	£2.75
7.	Doctors on the Move	£3.00
8.	Patients and their Doctors 1977	£3.00
10.	Selected Papers from the Eighth World	
	Conference on Family Medicine	£3.75
11.	Section 63 Activities	£3.75
12.	Hypertension in Primary Care	£3.75
13.	Computers in Primary Care	£3.00
14.	Education for Co-operation in Health and	
4-	Social Work	£3.00
15.	The Measurement of the Quality of	00.00
40	General Practitioner Care	£3.00
16.	A Survey of Primary Care in London	£4.00
17.	Patient Participation in General Practice	£3.75
18.	Fourth National Trainee Conference	£3.75
19.	Inner Cities	£3.00
20.	Medical Audit in General Practice	£3.25
21.	The Influence of Trainers on Trainees in	CO OF
22	General Practice	£3.25
22. 23.	Promoting Prevention	£3.00
23. 24.	General Practitioner Hospitals	£3.00
24.	Prescribing—A Suitable Case for Treat-	£3.75
25.	mentSocial Class and Health Status—	L3./5
25.		£3.50
26.	Inequality or Difference	L3.50
20.	Classification of Diseases, Problems and Procedures 1984	£4.75
	Frocedures 1304	L4./5

## **BOOKS AND BOOKLETS**

BOOKS AND BOOKLETS	
The Future General Practitioner Epidemiology and Research in a General Prac-	£10.50*
tice	£10.50
Practitioners	£12.00† £17.50
Present State and Future Needs in General	
Practice	£5.50
Doctors Talking to Patients  Notes for Lecturers	£10.50 £1.00
Notes for Lecturers	£1.00

\* £1.00 and †£2.00 less for members of the College